

REFERENCER TIL:

Luftvejsinfektioner – diagnose og behandling

Kvalitetssikring ved behandling af infektionssygdomme

1. Adriaenssens N, Coenen S, Tonkin-Crine S, Verheij TJ, Little P, Goossens H. European Surveillance of Antimicrobial Consumption (ESAC): disease-specific quality indicators for outpatient antibiotic prescribing. *BMJ Qual Saf* 2011.
2. Hansen MP, Bjerrum L, Gahrn-Hansen B, Jarbol DE. Quality indicators for diagnosis and treatment of respiratory tract infections in general practice: a modified Delphi study. *Scand J Prim Health Care* 2010; 28(1):4-11.
3. Svensk Forening för Allmänmedicin. Mål och mått i allmänmedicin. Kvalitetsindikatorer i primärvård framtagna av Svensk Forening för Allmänmedicin. 2014. <http://www.pvkvalitet.se/dokument/M%C3%A5l%20och%20M%C3%A5tt.pdf>

Akut faryngo-tonsillitis

ICPC-2 koder: R72 , R76

1. Fine AM, Nizet V, Mandl KD. Large-scale validation of the Centor and Mclsaac scores to predict group A streptococcal pharyngitis. *Arch Intern Med* 2012; 172(11):847-852.
2. Shulman ST, Bisno AL, Clegg HW, Gerber MA, Kaplan EL, Lee G et al. Clinical practice guideline for the diagnosis and management of group A streptococcal pharyngitis: 2012 update by the Infectious Diseases Society of America. *Clin Infect Dis* 2012; 55(10):1279-1282.
3. Little P, Moore M, Hobbs FDR, Mant D, McNulty C, Williamson I et al. Primary care Streptococcal Management (PRISM) study: identifying clinical variables associated with Lancefield group A + β -haemolytic streptococci and Lancefield non-Group A streptococcal throat infections from two cohorts of patients presenting with an acute sore throat. *BMJ Open* 2013; 3(10).
4. Skandinavisk Uprøvning af laboratorieudstyr i Primærsektoren (SKUP). 14-1-2014. Ref Type: Online Source.

5. Little P, Hobbs FD, Moore M, Mant D, Williamson I, McNulty C et al. Primary care Streptococcal Management (PRISM) study: in vitro study, diagnostic cohorts and a pragmatic adaptive randomised controlled trial with nested qualitative study and cost-effectiveness study. *Health Technol Assess* 2014; 18(6):vii-101.
6. Centor RM, Witherspoon JM, Dalton HP, Brody CE, Link K. The diagnosis of strep throat in adults in the emergency room. *Med Decis Making* 1981; 1(3):239-246.
7. Mclsaac WJ, White D, Tannenbaum D, Low DE. A clinical score to reduce unnecessary antibiotic use in patients with sore throat. *CMAJ* 1998; 158(1):75-83.
8. Fine AM, Nizet V, Mandl KD. Large-scale validation of the Centor and Mclsaac scores to predict group A streptococcal pharyngitis. *Arch Intern Med* 2012; 172(11):847-852.
9. Del Mar CB, Glasziou PP, Spinks AB. Antibiotics for sore throat. *Cochrane Database Syst Rev* 2006;(4):CD000023.
10. Amess JA, O'Neill W, Giollariabhaigh CN, Dytrych JK. A six-month audit of the isolation of *Fusobacterium necrophorum* from patients with sore throat in a district general hospital. *Br J Biomed Sci* 2007; 64(2):63-65.
11. Batty A, Wren MW. Prevalence of *Fusobacterium necrophorum* and other upper respiratory tract pathogens isolated from throat swabs. *Br J Biomed Sci* 2005; 62(2):66-70.
12. Centor RM. Expand the pharyngitis paradigm for adolescents and young adults. *Ann Intern Med* 2009; 151(11):812-815.
13. Cooper RJ, Hoffman JR, Bartlett JG, Besser RE, Gonzales R, Hickner JM et al. Principles of appropriate antibiotic use for acute pharyngitis in adults: background. *Ann Emerg Med* 2001; 37(6):711-719.
14. Ehlers Klug T, Rusan M, Fuursted K, Ovesen T. *Fusobacterium necrophorum*: Most Prevalent Pathogen in Peritonsillar Abscess in Denmark. *Clinical Infectious Diseases* 2009; 49(10):1467-1472.
15. Carapetis JR, Steer AC, Mulholland EK, Weber M. The global burden of group A streptococcal diseases. *Lancet Infect Dis* 2005; 5(11):685-694.
16. Hagelskjaer KL, Prag J. Lemierre's syndrome and other disseminated *Fusobacterium necrophorum* infections in Denmark: a prospective epidemiological and clinical survey. *Eur J Clin Microbiol Infect Dis* 2008; 27(9):779-789.
17. Choby BA. Diagnosis and treatment of streptococcal pharyngitis. *Am Fam Physician* 2009; 79(5):383-390.

Akut otitis media

ICPC-2 kode: H71

1. Casselbrant ML, Mandel EM. Epidemiology. In: Rosenfeld RM, Bluestone CD, editors. Evidence-based otitis media. 2 ed. Ontario: BC Decker Inc; 2003. 147-162.
2. Dansk AlmenMedicinsk KvalitetsEnhed. <http://www.dak-e.dk/> . 2013. RefType: Internet Communication.
3. Heikkinen T, Thint M, Chonmaitree T. Prevalence of various respiratory viruses in the middle ear during acute otitis media. *N Engl J Med* 1999; 340(4):260-264.
4. Heikkinen T, Chonmaitree T. Importance of respiratory viruses in acute otitis media. *Clin Microbiol Rev* 2003; 16(2):230-241.
5. Coker TR, Chan LS, Newberry SJ, Limbos MA, Suttorp MJ, Shekelle PG et al. Diagnosis, Microbial Epidemiology, and Antibiotic Treatment of Acute Otitis Media in Children: A Systematic Review. *JAMA* 2010; 304(19):2161-2169.
6. Lieberthal AS, Carroll AE, Chonmaitree T, Ganiats TG, Hoberman A, Jackson MA et al. The diagnosis and management of acute otitis media. *Pediatrics* 2013; 131(3):e964-e999.
7. Lous J, Ryborg CT, Damsgaard JJ, Munck AP. Tympanometry in general practice: use, problems and solutions. *Fam Pract* 2012; 29(6):726-732.
8. Lous J. Use of tympanometry in general practice in Denmark. *Int J Pediatr Otorhinolaryngol* 2014; 78(1):124-127.
9. Rosenfeld RM, Vertrees JE, Carr J, Cipolle RJ, Uden DL, Giebink GS et al. Clinical efficacy of antimicrobial drugs for acute otitis media: metaanalysis of 5400 children from thirty-three randomized trials. *J Pediatr* 1994; 124(3):355-367.
10. <http://www.nice.org.uk/nicemedia/pdf/CG69FullGuideline.pdf>. 2009. 3-3-2009. Ref Type: Internet Communication.
11. Spurling GK, Del Mar CB, Dooley L, Foxlee R, Farley R. Delayed antibiotics for respiratory infections. *Cochrane Database Syst Rev* 2013; 4:CD004417.
12. Høye S, Gjelstad S, Lindbaek M. Effects on antibiotic dispensing rates of interventions to promote delayed prescribing for respiratory tract infections in primary care. *Br J Gen Pract* 2013; 63(616):e777-e786.
13. Rosenfeld RM, Kay D. Natural history of untreated otitis media. *Laryngoscope* 2003; 113(10):1645-1657.
14. Glasziou PP, Del Mar CB, Sanders SL, Hayem M. Antibiotics for acute otitis media in children. *Cochrane Database Syst Rev* 2004;(1):CD000219.

15. Del MC, Glasziou P, Hayem M. Are antibiotics indicated as initial treatment for children with acute otitis media? A meta-analysis. *BMJ* 1997; 314(7093):1526-1529.
16. Venekamp RP, Sanders S, Glasziou PP, Del Mar CB, Rovers MM. Antibiotics for acute otitis media in children. *Cochrane Database Syst Rev* 2013; 1:CD000219.
17. Rovers MM, Glasziou P, Appelman CL, Burke P, McCormick DP, Damoiseaux RA et al. Antibiotics for acute otitis media: a meta-analysis with individual patient data. *Lancet* 2006; 368(9545):1429-1435.
18. Hoberman A, Paradise JL, Rockette HE, Shaikh N, Wald ER, Kearney DH et al. Treatment of acute otitis media in children under 2 years of age. *N Engl J Med* 2011; 364(2):105-115.
19. Tahtinen PA, Laine MK, Huovinen P, Jalava J, Ruuskanen O, Ruohola A. A placebo-controlled trial of antimicrobial treatment for acute otitis media. *N Engl J Med* 2011; 364(2):116-126.
20. Bezakova N, Damoiseaux RA, Hoes AW, Schilder AG, Rovers MM. Recurrence up to 3.5 years after antibiotic treatment of acute otitis media in very young Dutch children: survey of trial participants. *BMJ* 2009; 338:b2525.
21. Petersen I, Johnson AM, Islam A, Duckworth G, Livermore DM, Hayward AC. Protective effect of antibiotics against serious complications of common respiratory tract infections: retrospective cohort study with the UK General Practice Research Database. *BMJ* 2007; 335(7627):982.

Akut rhinosinuit

ICPC- 2 koder: R09, R75

1. Fokkens WJ, Lund VJ, Mullol J, Bachert C, Alobid I, Baroody F et al. European Position Paper on Rhinosinusitis and Nasal Polyps 2012. *Rhinol Suppl* 2012;(23):3-298.
2. Fokkens W, Lund V, Mullol J. European position paper on rhinosinusitis and nasal polyps 2007. *Rhinol Suppl* 2007;(20):1-136.
3. Dansk Almen Medicinsk Kvalitets Enhed. <http://www.dak-e.dk/> . 2013. RefType: Internet Communication.
4. Berg O, Carenfelt C. Analysis of symptoms and clinical signs in the maxillary sinus empyema. *Acta Otolaryngol* 1988; 105(3-4):343-349.
5. Lindbaek M, Hjortdahl P. The clinical diagnosis of acute purulent sinusitis in general practice – a review. *Br J Gen Pract* 2002; 52(479):491-495.
6. Hansen JG, Schmidt H, Rosborg J, Lund E. Predicting acute maxillary sinusitis in a general practice population. *BMJ* 1995; 311(6999):233-236.

7. Varonen H, Savolainen S, Kunnamo I, Heikkinen R, Revonta M. Acute rhinosinusitis in primary care: a comparison of symptoms, signs, ultrasound, and radiography. *Rhinology* 2003; 41(1):37-43.
8. Bjerrum L, Gahrn-Hansen B, Munck AP. C-reactive protein measurement in general practice may lead to lower antibiotic prescribing for sinusitis. *Br J Gen Pract* 2004; 54(506):659-662.
9. Cals JW, Schot MJ, de Jong SA, Dinant GJ, Hopstaken RM. Point-of-care C-reactive protein testing and antibiotic prescribing for respiratory tract infections: a randomized controlled trial. *Ann Fam Med* 2010; 8(2):124-133.
10. Lindbaek M, Hjortdahl P, Johnsen UL. Use of symptoms, signs, and blood tests to diagnose acute sinus infections in primary care: comparison with computed tomography. *Fam Med* 1996; 28(3):183-188.
11. Ahovuo-Saloranta A, Borisenko OV, Kovanen N, Varonen H, Rautakorpi UM, Williams JW, Jr. et al. Antibiotics for acute maxillary sinusitis. *Cochrane Database Syst Rev* 2008;(2):CD000243.
12. Falagas ME, Karageorgopoulos DE, Grammatikos AP, Matthaiou DK. Effectiveness and safety of short vs. long duration of antibiotic therapy for acute bacterial sinusitis: a meta-analysis of randomized trials. *Br J Clin Pharmacol* 2009; 67(2):161-171.
13. <http://www.nice.org.uk/nicemedia/pdf/CG69FullGuideline.pdf>. 2009. 3-3-2009. Ref Type: Internet Communication.
14. Spurling GK, Del Mar CB, Dooley L, Foxlee R, Farley R. Delayed antibiotics for respiratory infections. *Cochrane Database Syst Rev* 2013; 4:CD004417.
15. Hoyer S, Gjelstad S, Lindbaek M. Effects on antibiotic dispensing rates of interventions to promote delayed prescribing for respiratory tract infections in primary care. *Br J Gen Pract* 2013; 63(616):e777-e786.
16. Venekamp RP, Bonten MJ, Rovers MM, Verheij TJ, Sachs AP. Systemic corticosteroid monotherapy for clinically diagnosed acute rhinosinusitis: a randomized controlled trial. *CMAJ* 2012; 184(14):E751-E757.
17. Zalmanovici A, Yaphe J. Steroids for acute sinusitis. *Cochrane Database Syst Rev* 2007;(2):CD005149.
18. Venekamp RP, Thompson MJ, Hayward G, Heneghan CJ, Del Mar CB, Perera R et al. Systemic corticosteroids for acute sinusitis. *Cochrane Database Syst Rev* 2011;(12):CD008115.
19. Ahovuo-Saloranta A, Borisenko OV, Kovanen N, Varonen H, Rautakorpi UM, Williams JW, Jr. et al. Antibiotics for acute maxillary sinusitis. *Cochrane Database Syst Rev* 2008;(2):CD000243.

20. National Institute for Health and Clinical Excellence (NICE). Prescribing of antibiotics for self-limiting respiratory tract infections in adults and children in primary care. NICE Clinical Guideline 69. London: NICE, 2008. <http://www.nice.org.uk/Guidance/CG69> (accessed 10 Nov 2010). 2010. Ref Type: Internet Communication.
21. Lemiengre MB, van Driel ML, Merenstein D, Young J, De Sutter AI. Antibiotics for clinically diagnosed acute rhinosinusitis in adults. *Cochrane Database Syst Rev* 2012; 10:CD006089.
22. Hansen FS, Hoffmans R, Georgalas C, Fokkens WJ. Complications of acute rhinosinusitis in The Netherlands. *Fam Pract* 2012; 29(2):147-153.
23. Hicks CW, Weber JG, Reid JR, Moodley M. Identifying and managing intracranial complications of sinusitis in children: a retrospective series. *Pediatr Infect Dis J* 2011; 30(3):222-226.

Akut bronkitis

ICPC-2 kode: R78

1. Francis NA, Melbye H, Kelly MJ, Cals JW, Hopstaken RM, Coenen S, et al. Variation in family physicians' recording of auscultation abnormalities in patients with acute cough is not explained by case mix. A study from 12 European networks. *Eur J Gen Pract* 2013 Jun;19(2):77-84.
2. De BF, Virchow JC, Polverino M, Zanasi A, Behrakis PK, Kilinc G, et al. Cough management: a practical approach. *Cough* 2011;7(1):7.
3. Smucny J, Fahey T, Becker L, Glazier R. Antibiotics for acute bronchitis. *Cochrane Database Syst Rev* 2004;(4):CD000245.
4. Little P, Stuart B, Moore M, Coenen S, Butler CC, Godycki-Cwirko M, et al. Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. *Lancet Infect Dis* 2013 Feb;13(2):123-9.
5. Llor C, Moragas A, Bayona C, Morros R, Pera H, Plana-Ripoll O, et al. Efficacy of anti-inflammatory or antibiotic treatment in patients with non-complicated acute bronchitis and discoloured sputum: randomised placebo controlled trial. *BMJ* 2013;347:f5762.
6. Melbye H, Joensen L, Risor MB, Halvorsen PA. Symptoms of respiratory tract infection and associated care-seeking in subjects with and without obstructive lung disease; the Tromso Study: Tromso 6. *BMC Pulm Med* 2012;12:51.
7. Ebell MH, Lundgren J, Youngpairoj S. How long does a cough last? Comparing patients' expectations with data from a systematic review of the literature. *Ann Fam Med* 2013 Jan;11(1):5-13.

8. van Vugt SF, Butler CC, Hood K, Kelly MJ, Coenen S, Goossens H, et al. Predicting benign course and prolonged illness in lower respiratory tract infections: a 13 European country study in primary care. *Fam Pract* 2011 Oct 6.
9. Meropol SB, Localio AR, Metlay JP. Risks and benefits associated with antibiotic use for acute respiratory infections: a cohort study. *Ann Fam Med* 2013 Mar;11(2):165-72.

Pneumoni

ICPC kode: R81

1. Holm A, Pedersen SS, Nexoe J, Obel N, Nielsen LP, Koldkjaer O, et al. Procalcitonin versus C-reactive protein for predicting pneumonia in adults with lower respiratory tract infection in primary care. *Br J Gen Pract* 2007 Jul;57(540):555-60.
2. Metlay JP, Kapoor WN, Fine MJ. Does this patient have community-acquired pneumonia? Diagnosing pneumonia by history and physical examination. *JAMA* 1997 Nov 5;278(17):1440-5.
3. Hoare Z, Lim WS. Pneumonia: update on diagnosis and management. *BMJ* 2006 May 6;332(7549):1077-9.
4. Little P, Stuart B, Francis N, Douglas E, Tonkin-Crine S, Anthierens S, et al. Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. *Lancet* 2013 Oct 5;382(9899):1175-82.
5. Gahrn-Hansen B, Pedersen SS. Nekrolog over den atypiske pneumoni. *Rationel Farmakoterapi* . 10-12-2013. Ref Type: Magazine Article.
6. Woodhead M, Blasi F, Ewig S, Garau J, Huchon G, Ieven M, et al. Guidelines for the management of adult lower respiratory tract infections-full version. *Clin Microbiol Infect* 2011 Nov;17 Suppl 6:E1-59.
7. Hopstaken RM, Coenen S, Butler CC. Treating patients not diagnoses: challenging assumptions underlying the investigation and management of LRTI in general practice. *J Antimicrob Chemother* 2005 Nov;56(5):941-3.
8. Metlay JP, Atlas SJ, Borowsky LH, Singer DE. Time course of symptom resolution in patients with community-acquired pneumonia. *Respir Med* 1998 Sep;92(9):1137-42.
9. Bont J, Hak E, Hoes AW, Schipper M, Schellevis FG, Verheij TJ. A prediction rule for elderly primary-care patients with lower respiratory tract infections. *Eur Respir J* 2007 May;29(5):969-75.
10. Clark JE, Hammal D, Spencer D, Hampton F. Children with pneumonia: how do they present and how are they managed? *Arch Dis Child* 2007;92(5):394-98.

11. Palafox M, Guiscafre H, Reyes H, Munoz O, Martinez H. Diagnostic value of tachypnoea in pneumonia defined radiologically. *Arch Dis Child* 2000 Jan;82(1):41-5.
12. Bont J, Hak E, Hoes AW, Macfarlane JT, Verheij TJ. Predicting death in elderly patients with community-acquired pneumonia: a prospective validation study reevaluating the CRB-65 severity assessment tool. *Arch Intern Med* 2008 Jul 14;168(13):1465-8.
13. McNally M, Curtain J, O'Brien KO, Dimitrov BD, Fahey T. Validity of the British Thoracic Society guidance (the CRB65 rule) for predicting the severity of pneumonia in general practice: Systematic review and meta-analysis. *BJGP* 2010.

Akut exacerbation af Kronisk Obstruktiv Lungesygdom (KOL)

ICPC-2 Koder: R95, R79

1. Sethi S, Murphy TF. Infection in the pathogenesis and course of chronic obstructive pulmonary disease. *N Engl J Med* 2008 Nov 27;359(22):2355-65.
2. Anthonisen NR, Manfreda J, Warren CP, Hershfield ES, Harding GK, Nelson NA. Antibiotic therapy in exacerbations of chronic obstructive pulmonary disease. *Ann Intern Med* 1987 Feb;106(2):196-204.
3. Wedzicha JA, Singh R, Mackay AJ. Acute COPD Exacerbations. *Clin Chest Med* 2014 Mar;35(1):157-63.
4. Niewoehner DE, Erbland ML, Deupree RH, Collins D, Gross NJ, Light RW, et al. Effect of systemic glucocorticoids on exacerbations of chronic obstructive pulmonary disease. Department of Veterans Affairs Cooperative Study Group. *N Engl J Med* 1999 Jun 24;340(25):1941-7.
5. Llor C, Moragas A, Hernandez S, Bayona C, Miravittles M. Efficacy of antibiotic therapy for acute exacerbations of mild to moderate chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2012 Oct 15;186(8):716-23.
6. Vollenweider DJ FAU - Jarrett H, Jarrett HF, Steurer-Stey CA FAU - Garcia-Aymerich J, Garcia-Aymerich JF, Puhan MA. Antibiotics for exacerbations of chronic obstructive pulmonary disease.(1469-493X (Electronic)).
7. Miravittles M, Moragas A, Hernandez S, Bayona C, Llor C. Is it possible to identify exacerbations of mild to moderate COPD that do not require antibiotic treatment? *Chest* 2013 Nov;144(5):1571-7.

Hurtigtest for luftvejsinfektioner i almen praksis

1. Delaney BC, Hyde CJ, McManus RJ, Wilson S, Fitzmaurice DA, Jowett S et al. Systematic review of near patient test evaluations in primary care. *BMJ* 1999; 319(7213):824-827.
2. Price CP. Point of care testing. *BMJ* 2001; 322(7297):1285-1288.
3. Wood F, Brookes-Howell L, Hood K, Cooper L, Verheij T, Goossens H et al. A multi-country qualitative study of clinicians' and patients' views on point of care tests for lower respiratory tract infection. *Family Practice* 2011; 28(6):661-669.
4. Andre M, Schwan A, Odenholt I. The use of CRP tests in patients with respiratory tract infections in primary care in Sweden can be questioned. *Scand J Infect Dis* 2004; 36(3):192-197.
5. Engström S, Mölsted S, Lindström K, Nilsson G, Borgquist L. Excessive Use of Rapid Tests in Respiratory Tract Infections in Swedish Primary Health Care. *Scand J Infect Dis* 2004; 36(3):213-218.
6. Gerber MA, Shulman ST. Rapid diagnosis of pharyngitis caused by group A streptococci. *Clin Microbiol Rev* 2004; 17(3):571-80, table.
7. Nakhoul GN, Hickner J. Management of Adults with Acute Streptococcal Pharyngitis: Minimal Value for Backup Strep Testing and Overuse of Antibiotics. *J Gen Intern Med* 2012.
8. Neuner JM, Hamel MB, Phillips RS, Bona K, Aronson MD. Diagnosis and management of adults with pharyngitis. A cost-effectiveness analysis. *Ann Intern Med* 2003; 139(2):113-122.
9. Skandinavisk Utpøvning af laboratorieudstyr i Primærsektoren (SKUP). 14-1-2014. Ref Type: Online Source.
10. Choby BA. Diagnosis and treatment of streptococcal pharyngitis. *Am Fam Physician* 2009; 79(5):383-390.
11. Fine AM, Nizet V, Mandl KD. Large-scale validation of the Centor and Mclsaac scores to predict group A streptococcal pharyngitis. *Arch Intern Med* 2012; 172(11):847-852.
12. Maltezou HC, Tsagris V, Antoniadou A, Galani L, Douros C, Katsarolis I et al. Evaluation of a rapid antigen detection test in the diagnosis of streptococcal pharyngitis in children and its impact on antibiotic prescription. *J Antimicrob Chemother* 2008; 62(6):1407-1412.
13. Shulman ST, Bisno AL, Clegg HW, Gerber MA, Kaplan EL, Lee G et al. Clinical practice guideline for the diagnosis and management of group A streptococcal pharyngitis: 2012 update by the Infectious Diseases Society of America. *Clin Infect Dis* 2012; 55(10):1279-1282.

14. Edmonson MB, Farwell KR. Relationship between the clinical likelihood of group a streptococcal pharyngitis and the sensitivity of a rapid antigen-detection test in a pediatric practice. *Pediatrics* 2005; 115(2):280-285.
15. Pepys MB, Hirschfield GM. C-reactive protein: a critical update. *J Clin Invest* 2003; 111(12):1805-1812.
16. Falk G, Fahey T. C-reactive protein and community-acquired pneumonia in ambulatory care: systematic review of diagnostic accuracy studies. *Family Practice* 2009; 26(1):10-21.
17. Holm A, Pedersen SS, Nexoe J, Obel N, Nielsen LP, Koldkjaer O et al. Procalcitonin versus C-reactive protein for predicting pneumonia in adults with lower respiratory tract infection in primary care. *Br J Gen Pract* 2007; 57(540):555-560.
18. Cals JWL, Schot MJC, de Jong SAM, Dinant GJ, Hopstaken RM. Point-of-Care C-Reactive Protein Testing and Antibiotic Prescribing for Respiratory Tract Infections: A Randomized Controlled Trial. *The Annals of Family Medicine* 2010; 8(2):124-133.
19. Jochen WLC, Christopher CB, Rogier MH, Kerenza H, Geert-Jan D. Effect of point of care testing for C reactive protein and training in communication skills on antibiotic use in lower respiratory tract infections: cluster randomised trial. *BMJ* 2009; 338.
20. Miravittles M, Moragas A, Hernández S, Bayona C, Llor C. IS it possible to identify exacerbations of mild to moderate copd that do not require antibiotic treatment? *CHEST Journal* 2013; 144(5):1571-1577.
21. Daniels JMA, Schoorl M, Snijders D, Knol DL, Lutter R, Jansen HM et al. Procalcitonin vs c-reactive protein as predictive markers of response to antibiotic therapy in acute exacerbations of copd. *CHEST Journal* 2010; 138(5):1108-1115.